AUTHOR INDEX

VOLUME 10 NUMBERS 1–6

A

Adams, Ralph G. Isolation and identification of phospholipids of bovine rhodopsin 473
Aexel, R. T. See *Kelley et al.* 166
———. See *Naqvi et al.* 115
Ahrens, E. H., Jr. See *Grundy and Ahrens* 91
———. See *Grundy et al.* 304
Al-Arif, Adhid, and **Melvin Blecher.** Synthesis of fatty acyl CoA and other thiol esters using *N*-hydroxysuccinimide esters of fatty acids 344
Alexander, Manfred. See *Portman and Alexander* 158
Andersen, Niels H. Dehydration of prostaglandins: study by spectroscopic method 320
———. Preparative thin-layer and column chromatography of prostaglandins 316
Antony, Gabor, Lawrence W. White, and **Bernard R. Landau.** Metabolism of D- and L-glyceraldehyde in adipose tissue: a stereochemical probe for glycerokinase activity 521
Ashley, B. C. E. See *Goldrick et al.* 253
Austin, Wynne. See *Nestel et al.* 383

B

Baker, Nome. The use of computers to study rates of lipid metabolism 1
———, and **Hojat Rostami.** Effect of glucose feeding on net transport of plasma free fatty acids 83
———. See *Waterhouse et al.* 487
Baumann, W. J., H. H. O. Schmid, and **H. K. Mangold.** Oxidative cleavage of lipids with sodium metaperiodate in pyridine 132
———, **J. Seufert, H. W. Hayes,** and **R. T. Holman.** Mass spectrometric analysis of long-chain esters of diols 703
———. See *Wood et al.* 128
Bekersky, Ihor. See *Louw et al.* 683
———. See *Shefer et al.* 646
Belfrage, Per, and **Martha Vaughan.** Simple liquid–liquid partition system for isolation of labeled oleic acid from mixtures with glycerides 341
Benjamin, A., M. Pourfar, and **L. Schneck.** Automated chromatography for stepwise elution of complex lipids 616
Bezman-Tarcher, Alyce. Method for continuous intravenous infusion of large amounts of oleic acid into rats 197
Björkerud, Sören. Simple scraper for thin-layer chromatograms 459
Blanchette, E. J. See *Ito et al.* 694
Blecher, Melvin. See *Al-Arif and Blecher* 344
Bleisch, V. See *Naqvi et al.* 115
Bokkenheuser, Victor, Takahiko Hoshita, and **Erwin H. Mosbach.** Bacterial 7-dehydroxylation of cholic acid and allocholic acid 421
Borgström, Bengt. Quantification of cholesterol absorption in man by fecal analysis after the feeding of a single isotope labeled meal 331
———. See *Sylvén and Borgström* 179, 351
Boshouwers, F. M. G. See *Waite et al.* 411
Breckenridge, W. C. See *Kuksis et al.* 25
Buchanan, Hilaire. See *Nye and Buchanan* 193
Burch, Robert E., and **George L. Curran.** Hepatic acetoacetyl-CoA deacylase activity in rats fed ethyl chlorophenoxyisobutyrate (CPIB) 668

C

Campbell, Iain M., and **John Naworal.** Composition of the saturated and monounsaturated fatty acids of *Mycobacterium phlei* 593
———, and ———. Mass spectral discrimination between monoenoic and cyclopropanoid, and between normal, iso, and anteiso fatty acid methyl esters 589
Carter, H. E., and **A. Kisic.** Countercurrent distribution of inositol lipids of plant seeds 356
———, and **J. L. Koob.** Sphingolipids in bean leaves (*Phaseolus vulgaris*) 363
Casey, Adria C. Separation of neutral lipids of shark liver by "dry-column" chromatography 456
Clagett, C. O. See *Esselman and Clagett* 234
Cohen, Manley, R. G. H. Morgan, and **Alan F. Hofmann.** One-step quantitative extraction of medium-chain and long-chain fatty acids from aqueous samples 614
Connor, William E., Richard Johnston, and **Don S. Lin.** Metabolism of cholesterol in the tissues and blood of the chick embryo 388
———. See *Ito et al.* 694
Cornwell, David G. See *Panganamala et al.* 445
———. See *Ramachandran et al.* 465
Curran, George L. See *Burch and Curran* 668

D

Davignon, Jean. See *Grundy et al.* 304
Dawson, Glyn, and **Charles C. Sweeley.** New technique for enzymic hydrolysis of glycosphingolipids 402
Dean, W. J. See *Scallen et al.* 121
DeCarli, Leonore M. See *Lieber et al.* 283
de Souza, Noel J., and **William R. Nes.** Improved separation of sterols by reversed-phase thin-layer chromatography 240
Dils, R. See *Watts and Dils* 33
Dunkley, W. L. See *Haase and Dunkley* 555, 561, 568

E

Edkins, E. See *Hansen et al.* 267
Elbers, P. F. See *Waite et al.* 599
Elsbach, Peter. See *Rosenbloom and Elsbach* 406
Esselman, Walter J., and **C. O. Clagett.** Gas–liquid chromatography–mass spectrometry of hydroxylated octadecanols derived from hydroxylated stearic acids 234

F

Feller, Edward. See *Gidez and Feller* 656
Fletcher, John E. See *Spector et al.* 56
Foxman, Carole. See *Nestel et al.* 383
Fredrickson, Donald S., Howard R. Sloan, and **Carl T. Hansen.** Lipid abnormalities in foam cell reticulosis of mice, an analogue of human sphingomyelin lipidosis 288
———. See *Greten et al.* 326
Frosolono, Michael F., and **Maurice M. Rapport.** Reactivity of plasmalogens: kinetics of acid-catalyzed hydrolysis 504

G

Geer, Jack C. See *Panganamala et al.* 445
Gelpi, E. See *Tornabene et al.* 294
Gidez, Lewis I., and **Edward Feller.** Effect of the stress of unilateral adrenolectomy on the depletion of individual cholesteryl esters in the rat adrenal 656
Goldrick, R. B., B. C. E. Ashley, and **Margaret L. Lloyd.** Effects of prolonged incubation and cell concentration on lipogenesis from glucose in isolated human omental fat cells 253
Green, Floyd A. Binding of phosphatidylcholine-^{14}C to glass 710
Greten, Heiner, Robert I. Levy, and **Donald S. Fredrickson.** Evidence for separate monoglyceride hydrolase and triglyceride lipase in post-heparin human plasma 326
Grundy, Scott M., and **E. H. Ahrens, Jr.** Measurements of cholesterol turnover, synthesis, and absorption in man, carried out by isotope kinetic and sterol balance methods 91
———, ———, and **Jean Davignon.** The interaction of cholesterol absorption and cholesterol synthesis in man 304

H

Haase, Gottfried, and **W. L. Dunkley.** Ascorbic acid and copper in linoleate oxidation. I. Measurement of oxidation by ultraviolet spectrophotometry and the thiobarbituric acid test 555
———, and ———. Ascorbic acid and copper in linoleate oxidation. II. Ascorbic acid and copper as oxidation catalysts 561
———, and ———. Ascorbic acid and copper in linoleate oxidation. III. Catalysts in combination 568
Hamilton, Robert L. See *Mahley et al.* 433
Han, Paul W. See *Hirsch and Han* 77
Han, Stella Ching-Hsien. See *Rosenthal and Han* 243
Hansen, Carl T. See *Fredrickson et al.* 288
Hansen, I. A., B. K. Tang, and **E. Edkins.** *erythro*-Diols of wax from the uropygial gland of the turkey 267
Hanson, Richard W. See *Jomain and Hanson* 674
Harlow, R. D. See *Wood and Harlow* 643
Harris, Robert A. See *Inkpen et al.* 277
Hauser, Susan. See *Shefer et al.* 646
Hayes, H. W. See *Baumann et al.* 703
Hellman, Leon. See *Rosenfeld and Hellman* 175
Herndon, B. L. See *Kelley et al.* 166
———. See *Naqvi et al.* 115
Hirsch, Jules, and **Paul W. Han.** Cellularity of rat adipose tissue: effects of growth, starvation, and obesity 77
Hirvisalo, E. L. See *Renkonen and Hirvisalo* 687
Hofmann, Alan F. See *Cohen et al.* 614
Hollenberg, C. H. See *Patten and Hollenberg* 374
Holman, R. T. See *Baumann et al.* 703
Holub, B. J. See *Kuksis et al.* 660
Hood, L. F. See *Patton et al.* 260
Horrocks, Lloyd A. See *Sun and Horrocks* 153
Horwitz, David L. See *Koga et al.* 577
Hoshita, Takahiko. See *Bokkenheuser et al.* 421
Houser, Harold B. See *Insull et al.* 535
Howton, David R., and **Robert A. Stein.** Ahmad–Strong synthesis of 8-, 9-, and 10-pentadecynoic acids 631
Hsia, S. L. See *Vroman et al.* 507

I

Inkpen, Carol A., Robert A. Harris, and **Forrest W. Quackenbush.** Differential responses to fasting and subsequent feeding by microsomal systems of rat liver: 6- and 9-desaturation of fatty acids 277
Insull, William, Jr., Harold B. Houser, and **Arthur S. Littell.** Correlation between percentage of palmitic acid in adipose tissue and serum cholesterol level in patients with multiple sclerosis 535
Ito, M., W. E. Connor, E. J. Blanchette, C. R. Treadwell, and **George V. Vahouny.** Inhibition of lymphatic absorption of cholesterol by cholestane-3β,5α,6β-triol 694

J

Jensen, L. C. See *Lossow et al.* 68
John, Kathryn. See *Spector et al.* 56
Johnston, Richard. See *Connor et al.* 388
Jomain, Mireille, and **Richard W. Hanson.** Dietary protein and the control of fatty acid synthesis in rat adipose tissue 674

K

Kamoshita, Shigehiko. See *Schibanoff et al.* 515
Kates, M. See *Tornabene et al.* 294
Kelley, M. T., R. T. Aexel, B. L. Herndon, and **H. J. Nicholas.** Biosynthesis of squalene and cholesterol by cell-free extracts of adult rat brain 166
———. See *Naqvi et al.* 115
Kellogg, Thomas F., and **Bernard S. Wostmann.** Fecal neutral steroids and bile acids from germfree rats 495
Kinsell, Laurance W. See *Shioda et al.* 546
Kisic, A. See *Carter and Kisic* 356
Koga, Shunichi, David L. Horwitz, and **Angelo M. Scanu.** Isolation and properties of lipoproteins from normal rat serum 577
Koob, J. L. See *Carter and Koob* 363
Krivit, William. See *Vance et al.* 188
Kuksis, A., W. C. Breckenridge, L. Marai, and **O. Stachnyk.** Molecular species of lecithins of rat heart, kidney, and plasma 25
———, **O. Stachnyk,** and **B. J. Holub.** Improved quantitation of plasma lipids by direct gas–liquid chromatography 660
———. See *Marai and Kuksis* 141

L

LaBach, J. Parker, and **David C. White.** Identification o ceramide phosphorylethanolamine and ceramide phosphorylglycerol in the lipids of an anaerobic bacterium 528

Landau, Bernard R. See *Antony et al.* 521
Leikola, E., Elna Nieminen, and **Anna-Maija Teppo.** New sialic acid-containing sulfolipid: "ungulic acid" 440
LeQuire, Virgil S. See *Mahley et al.* 433
Levy, Robert I. See *Greten et al.* 326
Lieber, Charles S., Norton Spritz, and **Leonore M. DeCarli.** Fatty liver produced by dietary deficiencies: its pathogenesis and potentiation by ethanol 283
Lin, Don S. See *Connor et al.* 388
Lindgren, F. T. See *Lossow et al.* 68
Littell, Arthur S. See *Insull et al.* 535
Lloyd, Margaret L. See *Goldrick et al.* 253
Lossow, W. J., F. T. Lindgren, J. C. Murchio, G. R. Stevens, and **L. C. Jensen.** Particle size and protein content of six fractions of the $S_f > 20$ plasma lipoproteins isolated by density gradient centrifugation 68
Loughran, E. D. See *Scallen et al.* 121
Louw, A. I., I. Bekersky, and **E. H. Mosbach.** Improved synthesis of 3-hydroxy-3-methylglutaryl-CoA (HMG-CoA) 683

M

Mahadevan, Vaidyanath, and **Leslie Zieve.** Determination of volatile free fatty acids of human blood 338
Mahley, Robert W., Robert L. Hamilton, and **Virgil S. LeQuire.** Characterization of lipoprotein particles isolated from the Golgi apparatus of rat liver 433
Mangold, Helmut K. See *Baumann et al.* 132
———. See *Spener and Mangold* 609
———. See *Wood et al.* 128
Marai, L., and **A. Kuksis.** Molecular species of lecithins from erythrocytes and plasma of man 141
———. See *Kuksis et al.* 25
Marcus, Aaron J., Harris L. Ullman, and **Lenore B. Safier.** Lipid composition of subcellular particles of human blood platelets 108
Mattson, F. H., and **R. A. Volpenhein.** Relative rates of hydrolysis by rat pancreatic lipase of esters of C_2–C_{18} fatty acids with C_1–C_{18} primary *n*-alcohols 271
Moore, Thomas Jenner, and **Barbara Schlowsky.** Effects of erythrocyte lipid and of glucose and galactose concentration on transport of the sugars across a water–butanol interface 216
Morgan, R. G. H. See *Cohen et al.* 614
Mosbach, Erwin H. See *Bokkenheuser et al.* 421
———. See *Louw et al.* 683
———. See *Shefer et al.* 646
Mudd, J. B., H. H. D. M. van Vliet, and **L. L. M. van Deenen.** Biosynthesis of galactolipids by enzyme preparations from spinach leaves 623
Murchio, J. C. See *Lossow et al.* 68

N

Naqvi, S. H. Mujtaba, B. L. Herndon, M. T. Kelley, V. Bleisch, R. T. Aexel, and **H. J. Nicholas.** Detection of monohydroxy "bile" acids in the brains of guinea pigs afflicted with experimental allergic encephalomyelitis 115
Naworal, John. See *Campbell and Naworal* 589, 593
Nemecek, R. A. See *Vroman et al.* 507
Nes, William R. See *de Souza and Nes* 240
Nestel, Paul J., Wynne Austin, and **Carole Foxman.** Lipoprotein lipase content and triglyceride fatty acid uptake in adipose tissue of rats of differing body weights 383
Nicholas, H. J. See *Kelley et al.* 166
———. See *Naqvi et al.* 115
Nieminen, Elna. See *Leikola et al.* 440
Nye, E. R., and **Hilaire Buchanan.** Short-term effect of nicotinic acid on plasma level and turnover of free fatty acids in sheep and man 193

O

O'Brien, John S. See *Schibanoff et al.* 515
Ocken, Paul R. Dry-column chromatographic isolation of fatty acid esters of phorbol from croton oil 460
Oro, J. See *Tornabene et al.* 294

P

Panganamala, R. V., Jack C. Geer, and **David G. Cornwell.** Long-chain bases in the sphingolipids of atherosclerotic human aorta 445
———. See *Ramachandran et al.* 465
Patten, R. L., and **C. H. Hollenberg.** The mechanism of heparin stimulation of rat adipocyte lipoprotein lipase 374
Patton, J. S. See *Patton et al.* 260
Patton, Stuart, L. F. Hood, and **J. S. Patton.** Negligible release of cardiolipin during milk secretion by the ruminant 260
Piantadosi, Claude. See *Wood et al.* 370
Portman, Oscar W., and **Manfred Alexander.** Lysophosphatidylcholine concentrations and metabolism in aortic intima plus inner media: effect of nutritionally induced atherosclerosis 158
Pourfar, M. See *Benjamin et al.* 616
Privett, O. S. See *Roehm and Privett* 245

Q

Quackenbush, Forrest W. See *Inkpen et al.* 277

R

Ramachandran, S., R. V. Panganamala, and **David G. Cornwell.** Synthesis and desulfurization–decarboxylation of cyclic thionocarbonates of glycerol 1-ethers 465
Rao, R. Hanumantha, and **D. Subrahmanyam.** Characterization of phospholipase B of *Culex pipiens fatigans* 636
Rapport, Maurice M. See *Frosolono and Rapport* 504
Renkonen, O., and **E. L. Hirvisalo.** Structure of plasma sphingadienine 687
Rilling, H. C. See *Sofer and Rilling* 183
Rodgers, John B., Jr. Assay of acyl-CoA: monoglyceride acyltransferase from rat small intestine using continuous recording spectrophotometry 427
Roehm, J. N., and **O. S. Privett.** Improved method for determination of the position of double bonds in polyenoic fatty acid esters 245
Rosenbloom, A. A., and **P. Elsbach.** Triglyceride formation and hydrolysis by toad bladder epithelium 406
Rosenfeld, R. S., and **Leon Hellman.** Esterification of injected epicoprostanol in a human subject 175
Rosenthal, Arthur F., and **Stella Ching-Hsien Han.** Phosphorus determination in phosphoglycerides from thin-layer chromatograms 243
Rostami, Hojat. See *Baker and Rostami* 83
———. See *Waterhouse et al.* 487
Ruigrok, T. J. C. See *Waite et al.* 599

S

Safier, Lenore B. See *Marcus et al.* 108

Samuelsson, Bengt, and **Karin Samuelsson.** Gas–liquid chromatography–mass spectrometry of synthetic ceramides 41

———, and ———. Separation and identification of ceramides derived from human plasma sphingomyelins 47

Samuelsson, Karin. See *Samuelsson and Samuelsson* 41, 47

Sanders, Holly. See *Sgoutas et al.* 642

Scallen, Terence J., W. J. Dean, E. D. Loughran, and **B. V. Vora.** Isolation and chemical characterization of $\Delta^{5,7,24}$-cholestatrien-3β-ol from pig tissues 121

Scanu, Angelo M. See *Koga et al.* 577

Scherphof, G. L. See *Waite et al.* 411

Schibanoff, James M., Shigehiko Kamoshita, and **John S. O'Brien.** Tissue distribution of glycosphingolipids in a case of Fabry's disease 515

Schlowsky, Barbara. See *Moore and Schlowsky* 216

Schmid, H. H. O. See *Baumann et al.* 132

Schneck, L. See *Benjamin et al.* 616

Seufert, J. See *Baumann et al.* 703

Sgoutas, Demetrios S., Holly Sanders, and **Esther M. Yang.** Tritioboration and synthesis of tritium-labeled polyunsaturated fatty acids 642

Shefer, Sarah, Susan Hauser, Ihor Bekersky, and **Erwin H. Mosbach.** Feedback regulation of bile acid biosynthesis in the rat 646

Shimizu, Yoshitaka. Effect of carbon tetrachloride administration on the synthesis of triglycerides and phospholipids in rat liver 479

Shioda, Ryuzo, Peter D. S. Wood, and **Laurance W. Kinsell.** Determination of individual conjugated bile acids in human bile 546

Singh, Malathy. See *Singh et al.* 395

Singh, Vishwa Nath, Malathy Singh, and **T. A. Venkitasubramanian.** Early effects of feeding excess vitamin A: mechanism of fatty liver production in rats 395

Sloan, Howard R. See *Fredrickson et al.* 288

Snyder, Fred. See *Wood et al.* 128, 370

Sofer, S. S., and **H. C. Rilling.** Mechanism of squalene biosynthesis: evidence against the involvement of free nerolidyl pyrophosphate 183

Spector, Arthur A. Influence of pH of the medium on free fatty acid utilization by isolated mammalian cells 207

———, **Kathryn John,** and **John E. Fletcher.** Binding of long-chain fatty acids to bovine serum albumin 56

Spener, Friedrich, and **Helmut K. Mangold.** Composition of alkoxylipids of human heart and aorta 609

Spritz, Norton. See *Lieber et al.* 283

Stachnyk, O. See *Kuksis et al.* 25, 660

Stein, Robert A. See *Howton and Stein,* 631

Stevens, G. R. See *Lossow et al.* 68

Subrahmanyam, D. See *Rao and Subrahmanyam* 636

Sun, Grace Y., and **Lloyd A. Horrocks.** Acyl and alk-1-enyl group compositions of the alk-1′-enyl acyl and the diacyl glycerophosphoryl ethanolamines of mouse and ox brain 153

Sweeley, Charles C. See *Dawson and Sweeley* 402

———. See *Vance et al.* 188

Sylvén, Christer, and **Bengt Borgström.** Absorption and lymphatic transport of cholesterol and sitosterol in the rat 179

———, and ———. Intestinal absorption and lymphatic transport of cholesterol in the rat: influence of the fatty acid chain length of the carrier triglyceride 351

T

Tanaka, Akira. Synthesis of *dl*-aleprylic acid 681

Tang, B. K. See *Hansen et al.* 267

Teppo, Anna-Maija. See *Leikola et al.* 440

Tornabene, T. G., M. Kates, E. Gelpi, and **J. Oro.** Occurrence of squalene, di- and tetrahydrosqualenes, and vitamin MK_8 in an extremely halophilic bacterium, *Halobacterium cutirubrum* 294

Treadwell, C. R. See *Ito et al.* 694

Tucker, Anne N. See *White and Tucker* 220

U

Ullman, Harris L. See *Marcus et al.* 108

V

Vahouny, George V. See *Ito et al.* 694

van Deenen, L. L. M. See *Mudd et al.* 623

———. See *Waite et al.* 411, 599

van Vliet, H. H. D. M. See *Mudd et al.* 623

Vance, Dennis E., William Krivit, and **Charles C. Sweeley.** Concentrations of glycosyl ceramides in plasma and red cells in Fabry's disease, a glycolipid lipidosis 188

Vaughan, Martha. See *Belfrage and Vaughan* 341

Venkitasubramanian, T. A. See *Singh et al.* 395

Vereshchagin, A. G. See *Zhukov and Vereshchagin* 711

Volpenhein, R. A. See *Mattson and Volpenhein* 271

Vora, B. V. See *Scallen et al.* 121

Vroman, Hugh E., R. A. Nemecek, and **S. L. Hsia.** Synthesis of lipids from acetate by human preputial and abdominal skin in vitro 507

W

Waite, Moseley, G. L. Scherphof, F. M. G. Boshouwers, and **L. L. M. van Deenen.** Differentiation of phospholipases A in mitochondria and lysosomes of rat liver 411

———, **L. L. M. van Deenen, T. J. C. Ruigrok,** and **P. F. Elbers.** Relation of mitochondrial phospholipase A activity to mitochondrial swelling 599

Waterhouse, C., N. Baker, and **H. Rostami.** Effect of glucose ingestion on the metabolism of free fatty acids in human subjects 487

Watts, Rodney, and **R. Dils.** Separation of mono- and diglycerides by gas–liquid chromatography 33

White, David C., and **Anne N. Tucker.** Phospholipid metabolism during bacterial growth 220

———. See *LaBach and White* 528

White, Lawrence W. See *Antony et al.* 521

Wood, Peter D. S. See *Shioda et al.* 546

Wood, Randall, W. J. Baumann, Fred Snyder, and **H. K. Mangold.** Gas–liquid chromatography of dialkyl, alkyl acyl, and diacyl derivatives of glycerol 128

———, and **R. D. Harlow.** Gas–liquid chromatographic analysis of free long-chain aldehydes 463

———, **Claude Piantadosi,** and **Fred Snyder.** Quantitative analysis and comparison of the physical properties of *O*-alkyl and *S*-alkyl monoethers of glycerol 370

Woodford, F. Peter. Enlargement of taurocholate micelles by added cholesterol and monoolein: self-diffusion measurements 539

Wostmann, Bernard S. See *Kellogg and Wostmann* 495

Y

Yang, Esther M. See *Sgoutas et al.* 642

Z

Zhukov, A. V., and **A. G. Vereshchagin.** Quantitative determination of phosphorus in soybean lipids 711

Zieve, Leslie. See *Mahadevan and Zieve* 338

SUBJECT INDEX

VOLUME 10 NUMBERS 1–6

A

Absorption, intestinal
Of cholesterol in rat, influence of triglyceride carrier on 351
Of cholesterol in rat, inhibited by cholestane-3β,5α,6β-triol feeding 694
Of cholesterol and β-sitosterol in man 331
Of cholesterol and sitosterol in rat 179
Accumulation: Of lipid by cells, effect of pH on 207
Acetoacetyl-CoA deacylase: Increased activity of, after CPIB 668
Acetylenic fatty acids
Melting points of 631
Synthesis of 631
Acyl-CoA: monoglyceride acyltransferase
Assay of, optimal conditions for 427
Effect of nonionic detergents on 427
In rat small intestine, mucosal microsomes of 427
Inhibition of, by palmitoyl CoA 427
Stimulation of, by albumin 427
Adipocytes
Lipoprotein lipase of, mechanism of stimulation of by heparin 374
Number of, and lipoprotein lipase content 383
Number of, and triglyceride fatty acid uptake 383
Size of, and lipoprotein lipase content 383
Size of, and triglyceride fatty acid uptake 383
see also **Adipose tissue:** Cell and **Fat cells**
Adipose tissue
Cell number in, rat, with starvation and obesity 77
Cell size in, rat, with starvation and obesity 77
Cellularity of during growth (rat) 77
Lipoprotein lipase content of 383
Lipoprotein lipase of, mechanism of stimulation of by heparin 374
Metabolism of D- and L-glyceraldehyde in 521
Response of, to dietary protein, contrast to liver 674
Adrenal glands: Effect of massive doses of retinol on 395
Adrenalectomy: Effect of on depletion of adrenal cholesteryl esters 656
Adsorption: Of lecithin to glass 710
Albumin
Binding of cetyl alcohol, hexadecane, and methyl palmitate to 56
Binding of long-chain fatty acids to, association constants for (bovine, human, and rabbit) 56
Aldehydes
GLC of, in free form 463
Storage of, in CS_2 463
***dl*-Aleprylic acid:** Anodic synthesis of 681
Alk-1′-enyl
Acyl GPC and GPE, composition of, in aorta and heart 609
Acyl GPE, group composition of, compared to fatty acids of diacyl GPE 153
Diacyl glycerols, composition of, in aorta and heart 609
Alkoxylipids
Of aorta (human), composition of 609
Of heart (human), composition of 609
Alkyl acyl GPC and GPE: Alkyl chain composition of, compared to alk-1-enyl analogues 609
Alkyl diacyl glycerols: Of aorta and heart, composition of 609
***O*-alkyl glycerols** *see* **Glycerol ethers**
Alkyl glycerophosphatides: Failure to react with periodic–sulfuric acid 243
Allocholic acid: 7-Dehydroxylation of, by intestinal bacteria 421
Allyl alkyl ethers: Synthesis of, from glycerol ethers 465
α-Amino alcohols: Periodate oxidation of, in pyridine 132
Anodic synthesis: Of fatty acids 681
Aorta
Alkoxylipids of, composition of 609
Lecithin synthesis in, from lysolecithin 158
Sphingolipid bases of human atherosclerotic 445
Apoproteins: Of various serum lipoproteins from rat serum 577
Arachidonate: Preferential depletion of cholesteryl, in adrenal gland after stress 656
Artificial insemination: Of hens, technique for 388
Ascorbic acid
As antioxidant in linoleate oxidation, necessary conditions for 568
As prooxidant in linoleate oxidation 555, 561, 568
Autocatalysis: Of linoleate oxidation in presence of Cu^{++} 561
Automation: Of stepwise elution of column chromatography 616
Autoxidation: Of linoleic acid, GLC–MS of products of 234

B

Bacteria
Dehydroxylation of bile acids by 421
Of rabbit intestine, anaerobic, characteristics of 421
Of rabbit intestine, 7-dehydroxylation of bile acids by 421
Phospholipid metabolism of (*Haemophilus influenzae*) 220
Bacterial lipids
Ceramide phosphorylethanolamine and phosphorylglycerol in *B. melaninogenicus* 528
see also ***Mycobacterium phlei***
Bicarbonate: Conversion to CO_2 after injection into humans 487
Bile
Determination of cholesterol and total lipid P in 546
Determination of individual conjugated bile salts in human 546
Bile acids
Biosynthesis of, feedback regulation in rat by infused tauro cholate 646

Conjugates of; determination of individual, in human bile 546
TLC of 546
Deconjugation of, by intestinal microflora 495
Dehydroxylation of, by intestinal microflora 495
Enterohepatic circulation rate of 646
Fecal, from germfree and conventional rats 495
In brain of encephalomyelitic guinea pigs 115
Pool size, in Sprague–Dawley rats 646
Bile salts *see* **Bile acids:** Conjugates of
Biosynthesis: Of bile acids, feedback regulation by taurocholate 646
Bladder: Of toad epithelium, characteristics of lipase of 406
Body weight
Influence of; on adipose tissue cell number and size 383
on lipoprotein lipase content of adipose tissue 383
Brain
Bile acids in 155
Plasmalogens and phosphoglycerides of, compared for mouse and ox 153
Synthesis of squalene and cholesterol by cell-free extracts of (rat) 166
Buffer composition: Effect of, on glucose lipogenesis by isolated fat cells 253
1,4-Butanediol: Esters of, mass spectrometry of 703
2,3-Butanediol: Esters of, mass spectrometry of 703
Butyric acid: In blood (with iso) 338

C

Calcium ions: Stimulation of phospholipase A and mitochondrial swelling by 599
Campesterol: Separation of, from β-sitosterol and cholesterol 240
Carbon tetrachloride
Effect on hepatic acylation and phosphorylation of diglycerides 479
Effect on hepatic biosynthesis of CDP-choline 479
Effect on triglyceride and phospholipid biosynthesis 479
Cardiolipin
In platelets 108
Metabolism of, during bacterial growth 220
see also **Diphosphatidyl glycerol**
CDP-choline: Biosynthesis of, from phosphorylcholine, inhibited by CCl_4 479
Cell counting: Of adipose tissue (rat) 77
Ceramide: Composition of, from leaves 363
Ceramide phosphate–polysaccharide: From plant seeds, isolation of 356
Ceramide phosphorylethanolamine
Fatty acid and long-chain base compositions 528
In *Bacteroides melaninogenicus* 528
Ceramide phosphorylglycerol
Fatty acid and long-chain base compositions 528
In *Bacteroides melaninogenicus* 528
Ceramides
Dihexosyl; in various tissues in Fabry's disease 515
fatty acid composition of 515
From plasma sphingomyelins, GLC of 660
From plasma sphingomyelins, TLC and GLC–MS of 47
In Fabry's disease 515
Long-chain bases of, identification 41
Synthetic, GLC–MS of 41
Trihexosyl; in various tissues in Fabry's disease 515
fatty acid composition of 515
Cerebroside
Composition of, from leaves 363
In platelets (absent) 108
Chick embryo: Cholesterol metabolism in 388
Chlorophenoxyisobutyrate (ethyl): Increased acetoacetyl-CoA deacylase activity after (rats) 668
Chloroplasts: Biosynthesis of galactolipids by (enzymes not confined to chloroplast fraction) 623
Cholestane-3β,5α,6β-triol
Absorption of 694
Esterification of, by cholesterol esterase 694
Inhibition of cholesterol absorption by 694
Cholestatri(5,7,24)-en-3β-ol
Circular dichroism spectrum of 121
Isolation of, from pig tissues 121
Role in cholesterol biosynthesis 121
Cholesterol
Absorption of, in man 91, 331
Absorption of, in man, effect of cholesterol biosynthesis 304
Absorption of, in rat, effect of triglyceride carrier on 351
Absorption of, in rat, lack of effect of sitosterol on 179
Accumulation of, in thymus of mice with foam cell reticulosis 288
Biosynthesis of; by cell-free extracts of adult rat brain 166
$\Delta^{5,7,24}$-cholestatrien-3β-ol in pathway to 121
feedback effect of dietary cholesterol of, in man 304
in chick brain 388
in man 91
possible link with hepatic acetoacetyl-CoA deacylase activity 668
Companions of, synthesized by brain extracts 166
Dietary, feedback effect of, on cholesterol biosynthesis in man 304
Esters of, synthesized by brain extracts 166
In brain, possible oxidation of 115
Lymphatic transport of, effect of triglyceride carrier on 351
Metabolism of; in chick embryo 388
in man, one- and two-pool models for 91
Mixed micelles of with taurocholate, size of 539
Of chick tissues, amount and concentration of 388
Precursors of, separation of by reversed-phase TLC 240
Separation of, from phytosterols 240
Turnover of, in man 91
Yolk, transfer to all chick embryo tissues except brain 388
Cholesteryl esters
Hydrolysis of, in rat adrenal gland 656
In rat brain, presence suspected 166
Of adrenal (rat), selective depletion of after adrenalectomy and other stress 656
Cholic acid: 7-Dehydroxylation of, by intestinal bacteria 421
Choline: Deficiency, ethanol, and fatty liver 283
Chromatography, argentation: Of ceramide acetates from plasma sphingomyelins 47
Chromatography, column
Automated stepwise elution for complex lipids 616
Of acetylenic nitriles on silicic acid 631
Of ceramide and cerebroside from bean leaves on silicic acid 363
Of ceramide from bean leaves on DEAE cellulose 363
Of prostaglandins 316
Chromatography, "dry-column"
Of neutral lipids of shark liver 456
Of phorbol esters 460
Pre-equilibration of adsorbent prior to 456

Chromatography, gas–liquid
And mass spectrometry; of fatty acid mixtures 589
of hydroxylated octadecanol and hydroxylated stearic acids 234
Of acetates of substituted glycerols 128
Of aqueous solutions 338
Of ceramide trimethylsilyl ethers 41, 47
Of dialkyl, alkyl acyl, and diacyl glycerols 128
Of diglycerides, isothermal and temperature-programmed 33
Of diol acetonides 267
Of 1,3-dioxolanes from aldehydes 445
Of free aldehydes 463
Of C_2–C_5 free fatty acids 338
Of glycerides and glycerol ethers 128
Of glycerol thioethers 370
Of monoglycerides, isothermal and temperature-programmed 33
Of plasma lipids after treatment with phospholipase C 660
Of sphingomyelin-derived ceramides 47
Of thionocarbonates of glycerol 1-ethers 465
Of trimethylsilyl ethers of substituted glycerols 128
On polymer beads 338
Reductive, of ozonides 245
Sulfur filter in, for detection of S-containing compounds 370
Temperature-programmed 33
Chromatography, thin-layer
Boric acid–silica gel 267
Of 1,3-dioxolanes from aldehydes 445
Of *erythro* and *threo* diols 267
Of glycerol ethers and related lipids 128
Of prostaglandins 316
Of sterols, reversed-phase 240
Of thionocarbonates of glycerol 1-ethers 465
Of uropygiols 267
Reversed-phase, of sterols 240
Simple scraper for 459
see also **Chromatography, argentation**
Chylomicrons
Density gradient centrifugation of 68
Protein coverage of surface of 68
Circular dichroism
Of cholestatrienol 121
Of rat serum lipoproteins 577
Coconut oil, hydrogenated: Absorption of, and effect of on cholesterol absorption 351
Coenzyme A: Assay of, with DTNB, continuous spectrophotometric recording of 427
Compartmental analysis: Of free fatty acid metabolism 487
Complex lipids: Chromatography of, automated stepwise elution for 616
Computers
Multicompartmental analysis by (review) 1
Use of, to study rates of lipid metabolism (review) 1
Copper: As prooxidant (Cu^{++}) in linoleate oxidation 555, 561, 568
Corn: Inositol lipids of 356
Countercurrent distribution: Of inositol lipids of plant seeds 356
CPIB *see* **Chlorophenoxyisobutyrate**
Critical micelle concentration: Of taurocholate 539
Cyclopent-2-enyl fatty acids: Synthesis of, from cyclopent-2-enyl acetic acid 681

D

Demyelination: Lithocholic acid associated with 115
Desaturases
Differentiation between 6- and 9-desaturases of fatty acids 277
Effect of fasting and refeeding on 277
Effect of unsaturated dietary fats on 277
Essential fatty acid deficiency and 277
Desmosterol: In tissues of newly hatched chicks 388
Development: Of rat, effect on adipose cellularity 77
Diester waxes: Of uropygial glands 267
Diffusion: Of sugars through lipid barrier 216
Diffusion coefficient
Of taurocholate, alone and mixed with cholesterol 539
Open-ended capillary method for determining 539
Digitonin: Removal of, as ergosterol complex, from association with rhodopsin 473
Diglyceride acetates: From phosphatidyl choline, GLC of 141
Diglycerides
As substrate for galactolipid biosynthesis, degree of unsaturation needed 623
From phosphatidyl choline, GLC of 141
GLC of, compared to monoglycerides 33
Dihexosyl ceramides *see* **Ceramides**
Dihydrosphingosine *see* **4-Sphinganine**
Diol esters: Mass spectrometry of (mono- and di-, C_2 to C_4) 703
α-Diols: Periodate oxidation of, in pyridine 132
1,3-Dioxolanes: Of aldehydes derived from sphingosines, TLC and GLC of 445
Diphosphatidyl glycerol
Fatty acid composition of, in mammary tissue 260
Mammary tissue, fatty acid composition of 260
Release of, negligible, during milk secretion 260
Disiamylborane: Reduction of acetylenic esters by (stereoselective) 642
Double bonds: Position of, determination of in polyenoic fatty acid esters 245

E

Ehrlich ascites tumor cells: Uptake, oxidation, and esterification of FFA by, at pH $<$ 7.4 207
Electron microscopy: Of very low density lipoproteins 68
Electrophoresis, disc gel: Of rat serum lipoproteins 577
Enzymes: Adaptive, for fatty acid desaturation 277
Epicoprostanol: Esterification of, in man 175
Equatorial configuration: Necessity for, in 3-hydroxy sterols, for esterification 175
Ergosterol: Removal of digitonin by means of 473
Erythrocytes
Lecithins of, molecular species of (man) 141
Lipid from, effect on transport of sugars from water to butanol 216
Sugar transport into, model for 216
Essential fatty acids: Effect on 6- and 9-desaturases 277
1,2-Ethanediol: Esters of (mono- and di-), mass spectrometry of 703
Ethanol: Potentiation of fatty liver production by dietary dificiencies 283
Ethanolamine plasmalogens
Alkenyl and acyl group compositions of 153
Of brain (mouse and ox), composition of 153

Excretion: Fecal, of neutral sterols and bile acids by germfree rats 495

F

Fabry's disease *see* **Glycolipid lipidoses**
Farnesyl pyrophosphate: And squalene biosynthesis 183
Fasting: Free fatty acid metabolism during, in man, and effect of glucose feeding on 487
Fasting–refeeding: Effect on 6- and 9-desaturases 277
Fat cells
Effect of prolonged incubation and insulin on lipogenesis by 253
Isolated, lipogenesis by dependent on cell concentration 253
see also **Adipocytes**
Fatty acid composition: Of diglycerides, effect of on galactolipid synthesis by chloroplasts 623
Fatty acids
Acetylenic, stereoselective reduction of 642
Acetylenic, synthesis of 631
Anodic synthesis of 681
Biosynthesis of branched, discussion of 593
Biosynthesis of, and incorporation into lipids by human skin in vitro 507
Branched (mid-chain, iso, and anteiso) of *M. phlei* 593
Composition of, in lipid fractions of human skin 507
Desaturation (6- and 9-) of, in rat liver microsomes 277
Fecal, extraction of 614
Identification of, by GLC–MS 589, 593
Infusion of, into rats 197
Medium-chain, one-step extraction of from aqueous samples 614
Mitochondrial swelling and 599
Of endogenous triglycerides, as source for phospholipid fatty acid 406
Oxygenated (prostaglandins), TLC of 316
Polyunsaturated, synthesis of tritium-labeled from polyacetylenic acids 642
Positional distribution of; in lecithins of human plasma and erythrocytes 141
in lecithins of rat heart, kidney, plasma 25
on endogenous triglycerides of toad bladder 406
Serum, extraction of 614
Titration of, with tetrabutylammonium hydroxide 614
Fatty acyl CoA: Synthesis of 344
Fatty acyl CoA:lysophosphatide fatty acyl transferase: In aortic wall 158
Fatty esters
Hydrolysis of, by pancreatic lipase 271
Orientation of, at oil/water interface, effect on hydrolysis rate 271
Polyenoic, determination of double bond positions in 245
Fatty liver
Ethanol-potentiated, origin of hepatic triglycerides in 283
Induced by dietary deficiencies plus ethanol 283
Of chicks, newly hatched 388
Vitamin A-mediated 395
Fecal excretion: Of neutral steroids from cholesterol and plant sterols 331
Feedback regulation: Of cholesterol biosynthesis in man 304
Ferric ion: As prooxidant in linoleate oxidation 568
Flax: Inositol lipids of 356
Foam cell reticulosis: Sphingomyelin content of thymus in mice with 288
Free fatty acids
Albumin binding; association constants of 56
effect of pH and temperature on 56
Albumin complex, interaction with mammalian cells 207
Determination of, volatile 338
Esterification of, effect of glucose ingestion on 487
GLC of, C_2–C_5 338
Intravenous infusion of, in large quantities 197
Metabolism of, analysis by computer (review) 1
Metabolism of, multicompartmental analysis of 487
Of blood, volatile 338
Of plasma, effect of glucose refeeding on turnover of 83
Of plasma, effect of nicotinic acid on level and turnover of 193
Oxidation of, effect of glucose ingestion on 487
Partition system for separation of, from glycerides 341
Turnover rate in rats, effect of infused exogenous oleic acid on 197
Uptake, oxidation, and esterification of, by mammalian cells at pH < 7.4 207
Volatile; extraction and determination of 338
GLC of 338
in human blood fractions 338

G

Galactolipids
Biosynthesis; by subcellular fractions of spinach leaves 623
dependence on degree of saturation of diglyceride substrate 623
Galactose
Determination of, by GLC of trimethylsilyl ether 402
Transport of, across water–butanol interface 216
D-Galactose oxidase: Assay of 402
Gallstones: Role of intestinal bacteria in formation of 421
Ganglioside
Sulfate of; from horses' hooves 440
mass spectrum, GLC and TLC of 440
occurrence in hooves, epidermis, hair, nails, kidney 440
Gaucher's disease *see* **Glycolipid lipidoses**
Germfree rats: Fecal neutral sterols and bile acids from 495
GLC–MS *see* **Chromatography, gas–liquid:** And mass spectrometry
Globoside: Of plasma and red cells, in glycolipid lipidoses 188
Glucose
Conversion to glycerides by isolated fat cells, dependence of cell concentration on 253
Effect of, on free fatty acid oxidation and esterification 487
Refeeding of, effect on plasma FFA turnover in rats 83
Transport of, across water–butanol interface 216
Glyceraldehyde
Metabolism of D- and L-, in adipose tissue 521
Oxidation of D-, in adipose tissue 521
Phosphorylation of D-, in adipose tissue 521
Reduction of L-, in adipose tissue 521
Glycerol
From L-glyceraldehyde in adipose tissue 521
Of plasma, effect of nicotinic acid on 193
Glycerol ethers
Cyclic thionocarbonates of; desulfurization–decarboxylation of 465
mass spectra of 465
UV absorption and GLC of 465

GLC and TLC of (dialkyl and alkyl acyl glycerols) 128
see also **Alkyl diacyl glycerols, Alk-1′-enyl, Glycerol 1-ethers**
Glycerol 1-ethers: And thioethers, comparison of TLC, GLC, IR, and n.m.r. properties 370
Glycerol 1-thioethers
Detection of, in lipids 370
GLC and TLC of isopropylidene derivatives of 370
IR spectrum of hexadecyl 370
N.m.r. spectrum of hexadecyl 370
Glycolipid: From plant seeds, new 356
Glycolipid lipidoses
Fabry's disease, glycosyl ceramides of plasma and red cells in 188
Fabry's disease, trihexosyl and dihexosyl ceramides in various tissues in 515
Gaucher's disease, glycosyl ceramides of plasma and red cells in 188
Glycolipids
Hydrolysis of, enzymic, new technique for 402
Of blood, in glycolipid lipidoses 188
α-Glycols: Periodate oxidation of, in pyridine 132
Glycosyl ceramide galactosyl hydrolase: Assay of 402
Glycosyl ceramides: Hydrolysis of, on filter paper discs 402
Golgi apparatus: Precursors of plasma very low density lipoproteins in 433
GPC, alkyl acyl *see* **Alkyl acyl GPC and GPE**
GPE, alkyl acyl *see* **Alkyl acyl GPC and GPE**
Growth: Of rat, effect on adipose cellularity 77

H

Halobacterium cutirubrum: Squalene, hydrosqualenes, and menaquinone-8 in 294
Heparin
Effect of, on chylomicron–lipoprotein lipase binding 374
Mechanism of stimulation of adipocyte lipoprotein lipase activity by 374
HMG-CoA: Improved synthesis of 683
Hydrazine: Partial reduction of polyenoic esters by 245
Hydrolysis
By pancreatic lipase, of esters of different chain lengths 271
Of plasmalogens, kinetics of 504
Hydrosqualenes: In *Halobacterium cutirubrum* 294
Hydroxy fatty acids
Polyfunctional, GLC–MS of 234
Polyfunctional, $LiAlH_4$ reduction of 234
3α-Hydroxy-5β-cholanoic acid
GLC–MS of 115
In guinea pig brain 115
TLC of 115
3-Hydroxy-3-methylglutaryl-CoA
Formation of acetyl derivative during synthesis of 683
Improved synthesis of 683
Hydroxyoctadecanes
Polyfunctional, GLC–MS of 234
Trimethylsilyl derivatives of 234
Hypercholesterolemia: Of chicks, newly hatched 388
Hyperlipoproteinemia: Familial type I, plasma lipases in 326

I

Inositol lipids: Of plant seeds, countercurrent distribution of 356
Insulin
Effect of; on 6- and 9-desaturases 277
on glucose lipogenesis by isolated fat cells 253
Intestine: Microflora of, effect of steroid excretion by rats 495
Iodides, alkyl: UV spectrophotometry of 631
Iron: As prooxidant (Fe^{+++}) in linoleate oxidation 568
Irreversible disposal rate
General calculation of, for circulating metabolites 83
In lipid metabolism 1

K

3-Ketopalmitic acid: CoA and thioglycolic acid thiol esters of, synthesis of 344

L

β-Lactoglobulin: Binding of palmitate to 56
Leaves: Sphingolipids of 363
Lecithin *see* **Phosphatidyl choline**
Lecithins: Dephosphorylation of, by phospholipase C, before GLC analysis 660
Linolealdehyde: From nonadecadiene-1,2-diol 132
Linoleate oxidation
Catalysis of, by ascorbic acid and Cu^{++} 555, 561, 568
Conjugated dienes produced by 555, 561, 568
Free radical initiation of 561, 568
Measurement of; by thiobarbituric acid test 555, 568
by UV absorption 555, 561, 568
Metal contamination in 555, 561, 568
Lipase
Toad bladder, acid pH optimum of 406
Toad bladder, positional specificity of 406
Lipase assay: Isolation of oleic acid produced in 341
Lipase, pancreatic
Effect of chain length of ester substrate onaction of 271
From rat, relative rates of hydrolysis of different esters by 271
Lipidosis
Glycolipid, glycosyl ceramides of plasma and red cells in 188
Hereditary, blood lipid concentrations in relatives of patients with 188
Sphingomyelin and cholesterol storage in mice with foam cell reticulosis 288
see also **Glycolipid lipidoses**
Lipids
Biosynthesis of, by human skin in vitro 507
Of platelets, subcellular particles of, composition 108
Lipid-storage disease: Sphingomyelin content of thymus in mice with foam cell reticulosis 288
Lipogenesis
By human skin in vitro 507
From lactate, effect of dietary protein on 674
From pyruvate, effect of dietary protein on 674
Role of dietary protein in 674
see also **Insulin**
Lipolysis: Extraction of free fatty acids after 614
Lipoprotein lipase
And adipocyte number and size 383
Distinction from monoglyceride hydrolase 326
Of adipocytes, mechanism of stimulation of by heparin 374
Of adipose tissue, variation with rat weight 383

Lipoproteins
Hepatic; chemical composition and immunochemistry of 433
electrophoresis of 433
localization of in Golgi apparatus 433
Lipoproteins, plasma
Very low density; density gradient centrifugation of 68
electron microscopy of 68
particle size of 68
precursors of in rat liver 433
protein coverage of surface of 68
subfractionation of 68
Lipoproteins, serum
Apoproteins of various, compared to lipoproteins 577
Circular dichroism of 577
Disc gel electrophoresis of 577
From rats (male Sprague–Dawley), properties of 577
Immunology of 577
UV absorption of 577
Lithocholic acid *see* **3α-Hydroxy-5β-cholanoic acid**
Long-chain bases: Of plasma sphingomyelin, structure of 687
Lysolecithins: Dephosphorylation of, by phospholipase C, before GLC analysis 660
Lysophosphatidyl choline: Aortic concentration and metabolism of, and atherosclerosis 158
Lysosomes: Phospholipases A of, differentiation between 411

M

Mammary tissue: Mitochondria of, cardiolipin from 260
Mass spectra
Of branched and normal fatty acid esters 589
Of cyclopropanoid fatty acid esters 589
Of iso and anteiso fatty acid esters 589
Of isomeric fatty acids 589
Of mixtures of fatty acids 589
Of monoenoic and cyclopropanoid acid esters 589
Mass spectrometry
Combined with GLC, of fatty acid mixtures 589
Of ceramides from plasma sphingomyelins after GLC 47
Of synthetic ceramides 41
Mass spectrum: Of $\Delta^{5,7}$-sterols, possible identifying fragment in 121
Medium-chain triglycerides *see* **Triglycerides:** Medium-chain
Membranes: Of platelets, lipid composition of, compared to other membranes 108
Menaquinone-8: In *Halobacterium cutirubrum* 294
Methionine: Deficiency, ethanol, and fatty liver 283
Micelles
Bile salt, size of, by self-diffusion measurements 539
Taurocholate, size of, effect of cholesterol and monoolein on 539
Taurocholate, solubilization of cholesterol by 539
Microvilli: Elongated, after cholestanetriol feeding 694
Milk
Cardiolipin content of 260
Secretion of, negligible release of cardiolipin during 260
Mitochondria
Enlarged, after cholestanetriol feeding 694
Phospholipase A in membrane of 411
Mitochondrial swelling
Electron microscopy of 599
Role of phospholipase A in 599
Temperature dependence of 599
Models: Of complex metabolic processes 1
Monoglyceride: Effect on bile salt micellar size 539
Monoglyceride hydrolase: In plasma after heparin injection 326
Monoglycerides: GLC of, compared to diglycerides 33
Monoolein: Mixed micelles of with taurocholate and cholesterol, size of 539
Mosquito
Phospholipase B of *Aedes aegypti* 636
Phospholipase B of *Anopheles stephensi* 636
Phospholipase B of *Culex pipiens fatigans*, characterization of 636
Multicompartmental analysis: By computer (review) 1
Multiple sclerosis: Serum cholesterol and adipose fatty acid composition in 535
Mycobacterium phlei
Branched fatty acids of 593
Fatty acids of, identified by GLC–MS 593

N

Nerolidyl phosphate
Not an intermediate in squalene biosynthesis 183
Synthesis of 183
Nicotinamide: Inhibition of cholesterol synthesis in brain extracts by 166
Nicotinic acid
Effect on plasma free fatty acid level and turnover in man and sheep 193
Effect on plasma glycerol 193
Rebound effect after 193
Niemann–Pick disease: Foam cell reticulosis in mice as analogue of some forms of 288
Nitriles, acetylenic: Synthesis of 631

O

Obesity: Hypothalamic, and adipose cellularity 77
Octadecane: Absorption of, and effect of fed triglycerides on 351
Oleic acid
Continuous infusion of large amounts of, into rats 197
Emulsion of, stabilized with albumin 197
Isolation of, from tri-, di-, and monoolein in lipase assay 341
Oxidation: Of lipids, analysis by computer (review) 1
Ozonolysis: Of monoene mixtures 245

P

Palmitate: Turnover rate of, in fasted and refed unanesthetized rats 83
Palmitic acid: Of adipose tissue, correlation with serum cholesterol level 535
Palmitoleic acid: Of adipose tissue, correlation with serum cholesterol levels 535
Palmitoyl CoA: Synthesis of, using *N*-hydroxysuccinimide of palmitic acid 344
Pentadecynoic acids
Melting point alternation of homologues of 631
Synthesis of 8-, 9-, and 10-isomers 631
Periodate oxidation: Of lipids, pyridine as solvent for 132

Periodic–sulfuric acid: In determination of acid-hydrolyzable phosphoglycerides 243
pH: Effect of, on FFA uptake and utilization by tissues 207
Phorbol esters
Fatty acid composition of 460
Isolation of, from croton oil 460
Phosphatidyl choline
Adsorption of, to glass 710
Fatty acids of, positional distribution of 141
Molecular species of; in human plasma and erythrocytes 141
in rat heart, kidney, plasma 25
Phosphatidyl glycerol: Metabolism of, during bacterial growth 220
Phosphoenolpyruvate carboxykinase: Increased in rats refed a protein-free diet 674
Phosphoglycerides: Determination of, after TLC 243
Phospholipase A
Fatty acid stimulation of 411
Inhibition of, by ATP, ADP, and Mg^{++} 411
Lysosomal and mitochondrial 411
Mitochondrial and lysosomal 411
Mitochondrial, relation to mitochondrial swelling 599
pH optima of 411
Two forms of (for 1- and 2-positions) in rat liver 411
Phospholipase B
Of mosquitoes; heat lability of and protection by lysolecithin 636
pH and temperature optima of 636
specificity of (individual lysophospholipids and 1- and 2-acyl forms) 636
Phospholipase C: Use of, in quantification of individual plasma lipids 660
Phospholipases: A and C, possible presence in bacteria 220
Phospholipids
Bacterial (*Haemophilus influenzae*), turnover of during growth 220
Biosynthesis of (liver), effect of oral CCl_4 on 479
Deacylation of, by hepatic phospholipases A 411
Determination of small quantities of 711
Metabolism of, analysis by computer (review) 1
Phosphorus
Determination of, after TLC, with periodic–sulfuric acid 243
Determination of, in mixtures low in phospholipid 711
Phosphosphingolipids
In an anaerobic bacterium 528
see also **Ceramide phosphorylethanolamine** and **Ceramide phosphorylglycerol**
Phytoglycolipid
From plant seeds, isolation of 356
Structure of, from leaves 363
Plant sterols
Absorption of, in man 331
Dietary regulation of cholesterol absorption and biosynthesis by 304
TLC of, reversed phase 240
Plasma
Lecithins of, molecular species of (man) 141
Lipases in (distinct for mono- and triglycerides), after heparin injection 326
Lipids of, total analysis by direct GLC after dephosphorylation 660
Sphingadienine from sphingomyelin of, structure of 687
Sphingomyelin of, structure of long-chain base 687
Sphingomyelins of, identification base and fatty acid combinations in 47
Plasmalogens
Acid hydrolysis of, rate compared to unsubstituted vinyl ethers 504
Lyso derivative of, rate of acid hydrolysis of 504
Reactivity of, as measured by rate of acid hydrolysis 504
see also **Alk-1′-enyl, Ethanolamine plasmalogens**
Platelets: Subcellular particles of, lipid composition of (man) 108
Polyunsaturated fatty acids
Synthesis of, from polyacetylenic acids 642
Synthesis of tritium-labeled 642
Prooxidants: In antioxidant combinations 568
1,3-Propanediol: Esters of, mass spectrometry of 703
Prostaglandins
Assay of E, A, and B types in mixture 320
Conversion of E_1 to A_1 320
Dehydration of 320
Optical rotatory dispersion of 320
Stereochemical designations for 316
TLC and column chromatography of 316
UV spectra of 320
Protamine sulfate: Inhibition of heparin-stimulated lipoprotein lipase activity by 374
Protein: Dietary, and lipogenesis during refeeding 674
Proteolipids: In platelets 108
Pyruvate: Lipogenesis from, effect of substrate concentration 674

R

Retina: Lipids associated with rhodopsin in 473
Retinol
Early effects of massive doses of, on rat liver 395
Effect on hepatic triglyceride synthesis 395
Fatty liver produced by, mechanism of 395
Lipid mobilization by 395
Stimulation of adrenocortical function by 395
Rhodopsin: Phospholipids of 473

S

Safflower: Inositol lipids of 356
Seed lipids: Compared to leaf phytoglycolipids 363
Semidehydroascorbic acid radical: As initiator of linoleate oxidation 561
Serum: Cholesterol level of, correlation with adipose palmitic acid percentage 535
Shark: Liver lipids of, TLC and dry-column chromatography of 456
Sheep: Plasma free fatty acids and glycerol of, effect of nicotinic acid on 193
Sialic acid: In new ganglioside sulfate from hooves 440
Sitosterol
Absorption of, in rat, lack of effect of cholesterol on 179
Lymphatic transport of, in rat 179
β-Sitosterol
Absorption of, in man 304
As internal standard for measurement of cholesterol absorption 331
Separation of, from campesterol and cholesterol 240
Skin: Lipid synthesis de novo by human (in vitro) 507
Soybean lipids: Determination of phosphorus in 711

Sphingadienine
Catalytic partial hydrogenation of 687
Of human plasma, complete structure of 687
Sphingenine: 4- and *cis*-14-, from plasma long-chain bases 687
***rac*-4-Sphingenine:** Periodate cleavage of, to *trans*-2-hexadecen-1-al 132
Sphingolipids
Of bean leaves 363
Of human aorta, composition of long-chain bases in 445
Sphingomyelin: In thymus, liver, and spleen of mice 288
Sphingomyelin lipidosis: Foam cell reticulosis in mice as analogue of human 288
Sphingomyelinase: In foam cell reticulosis 288
Sphingomyelins
Dephosphorylation of, by phospholipase C, before GLC analysis 660
Identification of base and fatty acid combinations in 47
Of plasma, conversion to ceramides and identification 47
Sphingosine *see* **4-Sphingenine**
Sphingosine bases: Periodate oxidation of, in pyridine 132
Sphingosines: Of human aorta sphingolipids, composition of 445
Squalene
Biosynthesis of; by cell-free extracts of adult rat brain 166
by human skin 507
no involvement of nerolidyl pyrophosphate in (yeast) 183
In *Halobacterium cutirubrum* 294
Squirrel monkey: Atherosclerosis in, and lysolecithin metabolism 158
Starvation: Effect on adipose cellularity 77
Steady state model: For cholesterol turnover in man 91
Stereospecific biosynthesis: Of diols 267
Sterol balance: In germfree and conventional rats 495
Sterol balance studies: Compared to isotope kinetic studies in man 91
Sterols
Fecal, from germfree and conventional rats 495
TLC of, reversed-phase 240
Stress: Effect of, on depletion of adrenal cholesteryl esters 656
Substrate specificity: For pancreatic lipase 271
Sugars: Diffusion of, through lipid barrier 216

T

Thiobarbituric acid: Measurement of linoleate oxidation products by 555, 561
Thiol esters: Synthesis of 344
Thymus
Cholesterol content of, in mice 288
Sphingomyelin content of, in mice 288
Transport: Carrier-mediated, across membrane, physical model for 216
Triacetin: Absorption of, and effect of on cholesterol absorption 351
Triglyceride lipase: In plasma after heparin injection 326
Triglycerides
Biosynthesis of, in toad bladder epithelium 406
Biosynthesis of (liver), effect of oral CCl_4 on 479
Effect of chain length on absorption of and on absorption of cholesterol 351
Hydrolysis of, by toad bladder epithelium 406
Medium-chain, absorption of, and effect of on cholesterol absorption 351
Metabolism of, analysis by computer (review) 1
Trihexosyl ceramides *see* **Ceramides**
Trimethylsilyl ethers
Carbon number equivalent of 33
Of ceramides, GLC of 41, 47
Of diglycerides, GLC of 33
Of mono- and diglycerides and ceramides from plasma phosphatides 660
Of monoglycerides, GLC of 33
Triolein: Absorption of, and effect of on cholesterol absorption 351
Triprenol pyrophosphates: Chromatographic separation from terpenol pyrophosphates 183
Tritioboration: Of acetylenic acids 642
Turkey: Uropygiols from 267
Turnover rate
Generalized calculations for 83
Of free fatty acids, effect of infused exogenous oleic acid on 197
Of lipids, analysis by computer (review) 1
Of palmitate, in fasted and refed unanesthetized rats 83

U

Ultracentrifugation, analytical: Of very low density lipoproteins, density gradient 68
Ungulic acid: Ganglioside sulfate from horses' hooves 440
Unsaturated diet: Effect on 6- and 9-desaturases 277
Unsaturation: Position of, determination of in polyenoic fatty acid esters 245
Uropygiols
Acetonides of, GLC of 267
erythro and *threo* forms; in bird species 267
TLC of 267
Of turkey, compared to chicken 267

V

Valeric acid: In blood (with *iso*) 338
Vinyl ethers: Acid hydrolysis of, compared with plasmalogens 504
Vitamin A *see* **Retinol**
Vitamin MK_8: In *Halobacterium cutirubrum* 294
Volatile FFA *see* **Free fatty acids:** Volatile

W

Wax: Uropygial, *erythro* diols in (turkey and chicken) 267

NEW METHODS INDEX

Volume 10 Numbers 1–6

Compiled by H. A. I. Newman and Linda Turner

The numbers in this Index refer to Entry Nos. in the New Methods listings. These are found on the pages of Volume 10 given below.

Nos. 1–100, pp. 134–137
Nos. 101–217, pp. 246–251
Nos. 218–305, pp. 346–348
Nos. 306–368, pp. 468–470
Nos. 369–421, pp. 619–620
Nos. 422–507, pp. 714–716

ENTRY NO.

Acetyl Coenzyme A: Determination of, in tissue extracts 441
Aflatoxins
Assay for the production of, by the genera *Aspergillus* and *Penicillium* 99
B_1, B_2, G, and G_2, separation and purification of 302
Detection of 300
Determination of 100, 301
Removal of, from oil seed 217
Separation of 365
Aliphatic *see* **Fatty**
Aliphatic amines: Spectrophotometric determination of 52, 270
Amines: GLC of 130, 190, 191
Amino acids: GLC of 222
Antioxidants
BHA and BHT, in breakfast cereals, GLC determination of 16
Evaluation of, rapid 216
Phenol-soluble, polarographic determination of 98
Bile acids
Conjugated, TLC of 429
Determination of 327, 424, 430
Dihydroxycholanoic, free, TLC of 428
Free, TLC of 429
Human fecal, quantitative determination of 266
Hydroxy, mono, detection of 328
Mass spectrometry of 427
NMR spectroscopy of 329
Serum, spectrophotometric estimation of 166
Tritium-labeled, rapid preparation of 267
Calciferol: Chole- and ergo-, in nanogram quantities by GLC 317
Carbohydrates
GLC of 222
GLC–mass spectrometry of trimethylsilyl 422
Sulfate in, microdetermination of 82
see also **Sugars**
Carotenes: TLC of 496
Carotenoids
From marine algae, quantitative TLC of 199
In plasma and serum, separation and determination of α-, by paper chromatography 89
TLC analysis of 348
Ceramidase: Rat brain, further purification and properties of 506

ENTRY NO

Ceramides
From human plasma sphingomyelins, separation and identification of 314
Gas–phase analysis of 412
Synthetic, GLC and mass spectrometry of 313
Cereal products: Fats, oils, and analysis by wide-line NMR 304
Chlorophylls: From marine algae, quantitative TLC of 199
Cholesterol
Aldehyde-fuchsin and chrome alum-hematoxylin staining after permanganate oxidation of 45
Autoxidation products of, chromatography of, on Sephadex LH-20 439
Chemical reactivity of products from permanganate oxidation of 45
Determination of, in tissue lipids, after TLC 380
Free, in rat bile, measurement of, by GLC 18
Histochemical detection of 46
20α-Hydroxy, isolation of, from bovine adrenal 437
22-, 24-, 26-Hydroxy-, identification of, in steroid sulfate fraction of feces 434
Metabolites and artifacts, GLC recognition of 132
5β,6β-Oxide, isolation and characterization of 41
New reagent for 440
Performance of kits used for clinical chemical analysis of 268
Serum; estimation of 43, 168
microdetermination of 42, 433
Total, evaluation of diagnostic kits for determination of 382
Total plasma, rapid microdetermination of 433
Total serum; fully automated determination of 167
microdetermination of 433
Total whole blood, rapid microdetermination of 433
Tritiated (-25-^{3}H), preparation of 381
Cholesteryl ester: Phytanic acid-containing, separation of, by TLC 136
Choline: Identification and estimation of derivatives of, by mass spectrometry 186
Chromatography: Surface area study of pretreated silica gels 93
Chromatography, gas–liquid
Carrier for, modified porous glass as 17
Collector for 2

ENTRY NO.

Computer program for analysis of complex mixtures by, without complete separation of components 103
Deposits of flame ionization detectors with silicone gum rubber columns 225
Effect of temperature variation on semilog function of retention time with chain length 306
Fractions of, micro IR spectroscopy of 220
Gas-powered automated sample system for 9
HETP value 230
Liquid sampling for, under an inert atmosphere 223
Mass spectrometry and; an integrated system with carrier gas separator 3
sample enrichment techniques for 119
Of complex mixtures, with a mass spectrometer computer system 7
Preparative isolation of trace components by 5
Preparative peaks of, device for the unsymmetrical cutting of 123
Quantitative, improved injection technique for 15
Three-dimensional model for the optimum column conditions in 224
Unsaturated difunctional compounds in 105, 106

Chromatography, thin-layer
Application of phospholipid samples, methods for 478
Direct spot transfer technique for multiple 158
Preparative 298
Quantitative 94, 211, 454
Sintered glass as a permanent medium for 213
Sizing particle materials for, by a rapid economical method 214
Spotting technique; simple 212
multiple, rapid semiautomatic device for 95

Coenzyme A: Determination of, in tissue extracts 441

Coenzyme Q: Determination of, in rat liver 290

Detergents
Alkyl phenol polyethoxylates, TLC and foaming properties of 97
Pluronic F-68, measurement of, in biological fluids 215

Diglycerides
Alkyl acyl glycerides, isolation of 469
Dimannosyl, glucosyl, separation and identification of 482
GLC of 315
Glucosyl, mannosyl, separation and identification of 482
Isomeric, isolation of 469
Mannosyl, glucosyl, separation and identification of 482
Separation of, from monoglycerides by GLC 316
see also **Glycerides**

Diterpene acetates: Phenolic, GLC and TLC of 221

Enzymes
Δ 5-3β-Hydroxysteroid dehydrogenase, assay of, in fish ovaries 208
Lipase, pancreatic, determination of 296
Lipid peroxide, decomposition of a, by subcellular fractions 503
Lipoic dehydrogenase, inframicroscopical localization of 502
Lipolytic, in serum, substrate specificity and characteristics of 363

ENTRY NO.

1,2-Ethanediol monoethers and monoesters: GLC of 232

Ethyleneglycol dipalmitate: Isolation of, from regenerating rat liver 400

Fat
Chick edema factor in, rapid screening of 51
Fecal, measurement of, in steatorrhea 24
Milk; Babcock and Foss milko-tester methods for 325
indirect microdetermination in 321
turbidimetric methods 375
Oils and, analysis of, by GLC, and calculation of equivalent chain length (ECL) and modified ECL values 308
Oils, cereal products and, analysis of, by wide-line NMR 304
Oxygen content of 448

Fat-soluble vitamins: Semiquantitative determination of, by circular TLC 417

Fatty acid amides: Determination of, by an ion-exchange method 178

Fatty acid esters
Carotene decolorization in, a hypothesis for 460
Cyclopropane esters, derived from all methyl octadecenoates isomers—synthesis, spectroscopy, and chromatographic properties of 50
Cyclopropene esters, titration of, with hydrogen bromide 387
Enol, isolation and rearrangement of 60
Monounsaturated, determination of double bond position in, by mass spectrometry 49
Polyenoic 453
Structure of, limitations of systematic relationships of gas chromatographic retention behavior and 371
Terminal oxirane, isolation and rearrangement of 60
Unsaturated, reduction to unsaturated fatty alcohols by high-pressure hydrogenation 443
see also **Fatty acid methyl esters**

Fatty acid methyl esters
Acetylricinoleate, reaction of, with mercuric acetate in hot acetic acid 398
Branched-chain, differentiation between isomers of 394
Cyclic, structural elucidation of 462
Cyclopentanyl, TLC behavior of 393
Cyclopentenyl, TLC behavior of 393
Hydroxy, separation by TLC 450
Interchange of ester radicals for the GLC of 307
Isomeric, GLC of 219
Nonenoates and nonyoates, mass spectrometry of 172
Polyunsaturated, high vacuum fractional distillation of 334
Preparation of 19, 176, 423
Preparative separation from saturated fatty acids by thick-layer chromatography 55
Radio-GLC of 309
Ricinoleate, reaction of, with mercuric acetate in hot acetic acid 398
Saturated; analytic and preparative separation of, by adsorption chromatography 320
separation by GLC 313

ENTRY NO.

Sterculate-containing mixture, photolytic synthesis of 396
Unsaturated; adsorption of, on silicic acid-silver nitrate 272
separated by GLC 310
Fatty acids
Acetyl group transfer in lipogenesis 179
Acyl halides, preparation of 442
Aldanoic, GLC of esters of 227
Alkenoic, conversion of, to alkynoic by bromination-dehydrobromination 389
Apolar dimer of, quantitative determination of, in fats and oils 444
Brassidic, iodine number determination of 452
C_1–C_7, branched and straight-chained, GLC of 370
Candida species of, quantitative extraction of 324
Carbonyl groups of, nonaqueous determination of 269
Chick edema factor in, rapid screening of 51
Cis-5-monoenoic, of *Carlina* (compositae) seed oils 457
Composition of, by GLC-TLC 125
Conjugated, in certain seed oils, identification and configuration of 447
Crude oil, preparative TLC-high resolution mass spectrometry of 455
Cyclic, separation from straight-chain by urea adducting 170
Cyclopropenoid, GLC of 128
Degradation of, by Kuhn-Roth method 179
Desaturation of, new assay for 504
Diols, isolation and characterization of 445
Epoxides, long-chain, transposition with hydrogen sulfide 459
Epoxy compounds of, turbidity test for, in castor oil 54
Erucic, iodine number determination of 452
Fluorene-9-carboxylic derivatives (TLC, UV, and fluorescence spectra of) 177
Heated, estimation of, with oxy acids 461
Hydroxy; automated chromatography of, on anion-exchange resins 169
GLC–mass spectrometry of 104
GLC of 227
micromethod of identifying 61
NMR of 335
Hydroxy compounds of, applicability of the turbidity test for castor oil to 54
α-Hydroxylinolenic, naturally occurring, characterization of 397
In nerve fibers, detection of 59
β-Keto, quantitative conversion of, to methyl ketones 171
Ketonic, 2,4-dinitrophenylhydrazones of, separation of 53
Labeled, argentation chromatography of their methyl esters on glass fiber sheets 446
Labeled short-chain, quantitative collection of $^{14}CO_2$ in presence of 384
Linoleic acid hydroperoxide, synthesis, decomposition, and method of analysis of 451
Long-chain; colorimetric micromethod for (assay of lipolytic enzymes) 392

ENTRY NO.

1,2-propanediol monoesters of, analysis by fluorine magnetic resonance 175
Monocarboxylic, ESR study of the radiolysis of, adsorbed on silica gel 58
Monounsaturated, double bond position in, determined by GLC–mass spectrometry 1
Morphactins (TLC, UV, and fluorescence spectra of) 177
9,12-Octadecadienoic, separation and identification of geometrical isomers of 180
9,12,15-Octadecatrienoic, separation and identification of geometrical isomers of 180
Petroselaidic, iodine number determination of 452
Petroselinic, iodine number determination of 452
Phytenic, identification of five isomers in 385
Polyunsaturated, determination of double bond positions in 124, 449
Saturated, isolation of oxidation products of lauric, myristic, and stearic acids 458
Separation of, by TLC 326
Total, microdetermination of 338
trans,trans-3,7-Dimethyl-2,6-decadiene-1,10-dioic acid, identification and synthesis of 333
Unsaturated; hydrogenation of, to unsaturated fatty alcohols 395, 443
oxidation of, to mono- and dibasic acids 390
Volatile; GLC of 116
separation of benzoic acid from 386
see also **Free fatty acids and Fatty acid methyl esters**
Fatty alcohol acetates: *Cis* and *trans* isomers of, by GLC 373
Fatty alcohols: Poly-, urinary, GLC determination of 12
Fatty aldehydes
saturated, GLC analysis of 6
unsaturated, 2,4-dinitrophenylhydrazones of, TLC of 57
Fatty alkyds: Tall oil, GLC analysis and dimer acid content of 11
Fatty ethers: Alk-1-enyl alkyl, isolation and characterization of 56
Formaldehyde determination: By GLC with Porapak N 425
Free fatty acids
Labeled, rapid assay of, in mixtures of labeled lipids 271
Photometric autotitration of 174
Plasma or serum, extraction of, in a continuous-flow system 391
Separation of, from triglycerides on Sephadex LH-20 399
Galactolipids: Plant, by TLC 346
Gangliosides: Human brain, by paper chromatography 194
Glycerides
Azeleo, improved analysis of 339
Determination of, by TLC 62
Epoxy, of *Vernonia anthelmintica* seed oil 388
Kusum oil, chromatography of 465
Microdetermination of, in lipid extracts 467
Trisaturated; detection of adulteration of fats by TLC of 63

ENTRY NO.

in fats by argentation TLC 181
see also **Monoglycerides, Diglycerides, Triglycerides**

Glycerol
Determination of, by GLC; in presence of lipids 229, 337
in presence of polyhydric alcohols and sugars 182
Dialkyl, alkyl acyl and diacyl, GLC of 318

Glycerol ethers
Derivatives, preparation and analysis of 340
Monoethers, determination of distribution of aliphatic groups in 218
Unsaturated, isolation and reductive ozonolysis of 340
see also **Glycerol**

Glycolipids
Acetal groups, mild hydrolysis of 83
Acylated inositol mannoside, structure of 491
Arabinose mycolate, isolation and characterization of 487
Brain (human), estimation of 488
Ceramides; GLC separation of 286
neutral, carbohydrate structure of 81
Cerebrosides; isolation of, from *Aspergillus niger* 493
TLC separation of 414
Methyl galactosides, silver acetate for stabilizing after methanolysis of 494
Mycoplasma derived, identification of 87
Myelin deficiency, characteristics in 490
Phyto; epimerization in oligosaccharide of 411
tetrasaccharide, complete structure of 413
Phytosphingo, inositol-free, isolation of, from seaweed 492
Separation from phospholipids by column chromatography 285
Sphingo; naturally occurring, partial synthesis of 415
tritium-labeled, preparation and properties of 287

Hydrocarbons
Aliphatic, saturated, hydrogen atom transfer in mass spectrometric fragmentation patterns of 96
1-Alkenes, GLC of long-chain 1,2-diols from the biological oxidation of 120
C_4 to C_{12} petroleum mixtures, resolution of, by capillary gas chromatography 299
Carotene decolorization, a hypothesis for 460
Monoterpenes, separation of, by silver nitrate-silica gel 347
Normal, in tobacco leaves, GLC of 114
Of *Sarcina lutea*, characterization of and isolation of possible intermediates in biosynthesis of 420

Lecithin *see* **Phospholipids:** Phosphatidyl cholines

Lipase
Activities, determination of 207
Lipoprotein, determination of 209
Serum, determination of 297, 364

Lipids
Adrenal (ox and sheep), histochemical analysis of 22
Alkyl esters; hydrolysis of, estimation by spectrophotometry 138
saponification of, spectrophotometric method for studying the kinetics of 139
Blood, simple screening test for 374

ENTRY NO.

Candida, quantitative extraction of 324
Chromatography of, on polystyrene gel columns 20
Classes of; microdetermination of, by TLC 23, 234
separation of, by a liquid chromatograph 379
Detection of, on TLC with the periodate-Schiff reagent 241
Extraction of, from seed and leaf tissues, without contamination 19
Fecal, TLC of 135
Fecal fat analysis, study of the Van de Kamer method 21
GLC of; 222
evaluation of stationary phases for determination of 25
Glycerol in 229
IR absorption spectroscopy of 237
Isolation and synthesis of, recent developments in 377
Mass, use of liquid scintillation quenching to quantitate 378
Mass spectrometry of 242
Neutral, TLC and photodensitometry of 236
Oxidative cleavage of, with sodium metaperiodate in pyridine 319
Peroxide number, determination of 133, 456
Plasma (microvolumes), one-step extraction and purification of 134
Saponification products of, TLC of 137
Screening of, in clinical chemistry 240
Separation of, on Sephadex LH-20 235
Serologically active, separation and chemical identification of 426
Serum; total, automated determination 238
total, comparison of methods 320
TLC of; 326
analysis by flame ionization detector 376
detection by new fluorescence indicator 239
Total extracts of; microdensitometric determination of 322
micro TLC determination of 322

Lipoproteins
Agarose gel; electrophoresis on 92, 294, 295, 354, 418
gel filtration on 293, 359, 360
mobility on 354
Alpha-1-, human serum, starch gel electrophoresis of 203
Beta (serum), fractionation of, by gel filtration 359, 360
Cellulose acetate electrophoresis, anomalous mobilities on 501
Chylomicrons, electrophoretic mobility on paper and cello gel 202
Detergents and electrophoretic mobility of serum 355
Dextran sulfate, interaction with 205
Electron microscopy of human serum, by negative staining 292
Electrophoresis of; on agarose gel 92, 294, 295, 354, 418
on cellulose acetate 356
on paper (comparison with agarose gel) 418
on polyacrylamide gels 361
High density; detection and classification of 357
high resolution NMR spectra of 499
Hyperlipoproteinemia, diagnosis of 356

ENTRY NO.

Low density; gel filtration of apoprotein subunits from 291
molecular weight estimation of 498
$S_f > 20$ (plasma), density gradient centrifugation of 358
Ultracentrifugation of 204
Zonal ultracentrifugation of 419

Mass spectrometry
GLC and, integrated system for 3
Sample enrichment techniques for 119

Monoglycerides
GLC of 315
Higher fatty acid, chromatographic separation of 466
Lactoylated, GLC analysis of 311
Periodic acid analysis for 1- 464
Separation from diglycerides by GLC 316
see also **Glycerides**

Nitrogen determination
In organic substances, very small amounts of, by gas chromatography reaction techniques 69
In small quantities of biological materials, spectrophotometric 73
Urinary amino 70

Octadecadienoates: Isomeric methylene-interrupted methyl *cis,cis*-, GLC of 108

Oils
Fats, cereal products and, analysis of, by wide-line NMR 304
Oxygen content of 448

Pharmaceuticals: Steroidal, TLC of 154

Phosphate
Automated fast reaction-rate system for determination of 344
Inorganic, determination of, in rat muscle 276
Organic, regulation and distribution of, in the European eel 146
Ortho-, interference of pyrophosphate in determination of 278

Phosphatidal, phosphatidyl *see* **Phospholipids**

Phospholipase A: Spectrophotometric determination of 362

Phospholipase A_2: From *Crotalus atrox* venom, purification and some properties of 505

Phospholipids
Aldehydrogenic, a new artifactual 484
Aldehydrogenic phosphatidlic acid esters, synthesis of 481
Alkyl and alk-1-enyl glyceryl ethers, derived from 486
Automated analysis of 470
Base composition analysis by GLC 72
Blood, quantitative two-dimensional TLC of 402
Cardiolipin, isolation and identification of 482
Ceramide aminoethylphosphonate, synthesis of 342
Choline, iodine reaction in analysis of 284
Determination of, eluted from chromatoplates 478
Erythrocyte, quantitative one-dimensional TLC of 401
Gas-phase analytical methods for 472
Glucosaminyl phosphatidylglycerol, from *Bacillus megaterium*, structural investigations on 407
Glycerophosphatides; in serum, nonchromatographic determination of 408
structural analysis of 77

ENTRY NO.

structural characterization of, by GLC 117
Inositol, colorimetric assay of 345
Lecithin *see* **Phospholipids:** Phosphatidyl cholines
Lysolecithin, determination of constitution of, by catalytic oxidation 189
Lysophosphatides, in erythrocytes, chromatographic separation of 283
Lysophosphatidyl ethanolamine, isolation and identification of 482
Mammalian myelin, alk-1-enyl group content of, by quantitative two-dimensional TLC 74
N-(2-hydroxyethyl) alanine as component of phospholipids, from ruman protozoa 473
Nitrogenous, differentiation of, by IR spectroscopy 64
Of placenta during pregnancy, quantitative determination of, by two-dimensional TLC 67
Paper chromatographic determination of 474
Phosphatidal dimethylethanolamine, synthesis of 480
Phosphatidal ethanolamine, in rat tissues, quantitative determination of 76
Phosphatide, catalytic oxydation of 189
Phosphatidyl cholines; chemical synthesis of phosphonic acid monoether analogues of 343
conversion of 2-acyl GPC into 483
determination of, in plasma 79
NMR studies of 281
phosphonate analogues of 409
synthesis of, with molecular species of diglycerides 476
Phosphatidyl ethanolamine; chemical synthesis of phosphonic acid monoether analogues of 343
isolation and identification of 482
Phosphatidyl glycerol; isolation and identification of 482
synthesis of phytanyl diether analogues of 403
Phosphatidyl glycerophosphate, synthesis of phytanyl diether analogues of 403
Phosphoinositides, TLC of 71
Phosphonolipids, chromatographic separations of, from analogues 405
Plant, TLC of 346
Quantitative analysis of, separated by TLC 404
Quantitative determination of 471
Sample application in preparative layer chromatography 485
Tissue, solubility of, in acetone 68
TLC of 67, 346, 401, 402, 410, 478

Phosphonate: Determination of, in presence of organic and inorganic phosphate 185

Phosphorus
Assay of, study of techniques for 188
Combustion analysis of, with C, H, N 80, 280
Determination; 75
fluorometric kinetic method for 277
in phosphoglycerides, from thin-layer chromatograms 479
iodometric 78
micro 406
spectrophotometric 282
GLC of phosphorus-containing compounds 65

ENTRY NO.

Separation of traces of 279

Prostaglandins

±11-Deoxy-13,14 dihydro, $F_1\alpha$ and $F_1\beta$, synthesis of 507

DL-, B_1, total synthesis of 367

E_1, fluorescence of 305

E_1, E_2, F_{1a}, F_{2a}; sensitive assay for 173

stability of dilute solutions of 368

Total synthesis of 421

Proteolipids

Behavior of, on dextran gel columns eluted with organic solvents 206

Sulfydryl groups in, carboxymethylation of 500

Quinones: From *Vicia faba* leaves, separation and estimation of 200

Spinigolipid bases

Determination of structures of, by GLC–mass spectrometry 477

Dihydrosphingosine, keto intermediates in synthesis of 66

Long-chain, dinitrophenyl derivatives of, by reaction paper chromatography 187

Sphinga-4,12-dienine, characterization of, by GLC–mass spectrometry 126

Sphingosine, keto intermediates in synthesis of 66

Sphingomyelin: Long-chain lipid basis of, in bovine milk 475

Steroids

Acetates, selective detection of, with the electron capture detector 261

Aldehyde-fuchson and chrome-alum hematoxylin staining of, effect of some oxidizing agents on 28

Aldosterone, urinary, routine determination of 13

Δ4-Androstene-3,17-dione, determination of; by TLC 37

by electron-capture GLC 253

Androst-16-enes, by GLC 112

Bufadienolides, reinvestigation of, by GLC 127

C_{21}-17-hydroxycortico, free, determination of, by GLC 111

C_{21}, characterization by TLC 159

Chromatography of, on lipophilic Sephadex 160

Compound S, free, in plasma, determination by TLC 39

Cortico; fluorometric determination of, interfering substances in 252

GLC of 115

quantitative TLC of 27

urinary, routine GLC assay of 34

Corticosterone, free, in plasma, determination of 39, 257

Cortisol; free, in plasma, determination of 39, 257, 260

secretion of, by Few's method 33

urinary, determination of 260

urinary free, measured by competitive protein binding 142

Cortisone, free, in plasma, determination of 39

Detection of, in TLC 255

Estradiol, ethinyl; in pharmaceutical tablets, by automated colorimetry 26

17α-, and its ethers, decomposition of, in argentation TLC 140

ENTRY NO.

Estriol; in pregnancy urine, autoclave method for acid hydrolysis of 143

plasma, in pregnancy, determination of 156

urinary, determination of, during pregnancy 254

Estrogens; free, separation of, from their monosulfate esters by TLC 150

in pregnancy, automated determination of 147

methylation of, for GLC 107

monosulfate esters, separation of, from free by TLC 150

natural, electron-capture GLC of 35

TLC of 150, 263

urinary, total nonpregnancy, determination of 245

Estrone and 17β-estradiol, human urinary, estimation of 151

GLC determination of the carbon skeletons of 369

GLC of; androst-16-enes 112

derivatives 110, 131

free, C_{21}-17-hydroxycortico, determination of 111

Homo-lactams, TLC of 258

17-Hydroxy-21-deoxycortico, urinary, clinical laboratory determination of 141

20α-Hydroxy-5β-pregnan-3-one, urinary, in pregnancy, GLC of 121

Δ^4 and Δ^5-3-Ketals, mass spectral studies on 262

Keto; plasma, by TLC and densitometry 31

urinary, determination of 2,4-dinitrophenylhydrazones of, by TLC 155

17-Keto; conjugated and free urinary, effect of formalin and duration of acid hydrolysis on 249

normal adult, fractionation of, by TLC 248

plasma, measurement by double isotope detection 152

separation of some, by horizontal TLC 30

total urinary, determination of, in microliter range 250

urinary, determination of, by GLC 101

urinary, interference of nalidixic acid tests of 256

urinary, quick TLC separation of 148

17-Ketogenic, fractionation of, by solvent partition 40

11-Ketopregnane-3α,17,20α-triol, urinary, GLC of 118

Mestranol, in pharmaceutical tablets by automated colorimetry 26

Norgestrel, fluorometric determination of 246

Of Ch'an Su, reinvestigation by GLC 127

Ovarian, new fluorescence measuring technique for 145

2-Oxa-3-oxo-, optical rotary dispersion and circular dichroism of 163

Oximes, isomeric, TLC of 258

Oxygen substituents of, number determined by chromatography 38

1-Oxygenated; paper chromatographic characterization of 161

urinary, problems in determination of 149

Pregnanediol; allo-, urinary, nonpregnancy, GLC estimation of 4

GLC of 121

urinary, nonpregnancy, GLC estimation of 4

urinary, rapid determination of 244

Pregnanetriol, urinary, observations on assays of, by GLC 226

ENTRY NO.

Pregnane-3α,17,20α-triol, urinary, GLC of 118
Pregnanetriolone, urinary, observations on assays of, by GLC 226
Pregnanolones, GLC of 121
Progesterone, plasma, determination of, by TLC-GLC 165
Radiochemical purity of 164
Radio-GLC of 309
Recovery of microquantities of, after repeated TLC 29
Resolution of some pairs of closely related, by TLC 265
Sapogenin, in *Dioscorea* tubers, densitometric TLC of 243
Sapogenins, epimeric, determination of 144
16-Substituted-17(20)-pregnene adducts, configuration of, by NMR spectroscopy 32
Synthetic, argentation TLC of 162
Testosterone; assay of by protein binding 153
determination of, in tissue, by TLC 37
plasma, by competitive protein binding 157
plasma, by double isotope detection 152
plasma, by electron-capture GLC 253, 259
plasma, determination of 251
plasma, evaluation of GLC determination of 109
TLC of, precise location with marker dyes 264
Trimethylsilyl derivatives, on-column formation of, and analysis of, by GLC 110
Trimethylsilylenol ether, from 5α-1 and 5β-cholestan-3-one, GLC–mass spectrometry of 372
Urinary; comprehensive procedure for analysis of 36
Identification of most polar fraction of 247
17-keto, free and conjugated, effect of formalin and duration of acid hydrolysis on 249
reduction products of, by GLC 8

Sterols

3β-Acetoxy-20α-hydroxycholesterol 5,6-oxide, preparation of 437
Brain (human), chromatography of 383
$\Delta^{5,7,24}$-Cholestatrien-3β-ol, from pig tissues, isolation and chemical characterization of 332
$\Delta^{8(14)}$-Cholesten-3β-ol, from rat skin, isolation of 436
Crystalline, obtained by GLC 48
16-Deoxy-myxinol, NMR–mass spectrometry of 438
Extraction of; from cell-free preparations 331
from butteroil, with digitonin-impregnated Celite 495
GLC and mass spectrometry of trimethylsilyl ethers of 102
GLC determination of carbon skeletons of 369
GLC of, correlation between molecular structure of and retention time in 113
Histochemical detection of 46
20α-Hydroxycholesterol sulfate, isolation of 437
Separation of improved, by reversed-phase TLC 431
β-Sito, obtaining a pure sample by chromatography on silver-nitrate impregnated aluminum sheet 330
Soya, by GLC 312
TLC of 47
Trimethylsilyl ethers, characterization by GLC and mass spectrometry 102

Sugars

Free, in plants, determination of 489
Identification of, by circular TLC 86
Monosaccharides, separation of, by TLC 192

ENTRY NO.

Sulfate

Determination of, in presence of phosphate, arsenate and other ions 288
In carbohydrates, microdetermination of 82
Potentiometric microdetermination of 84

Sulfur

Detection of compounds containing, in GLC 65
Determination of, in light petroleum 193
In organic compounds; automatic ultramicro-determination of 88
iodometric microdetermination of 78

Terpenes

Alcohols, separation of, by TLC 289
Cucurbitacins, TLC of 196
GLC of volatile oil of *Juniperus virginiana* 231
N-allyl-*dl*-camphoric acid, α and β structural isomers of, by TLC 195

Tocopherol

α-; determination of, in rat liver 290
from plasma and serum, separation and determination of 89
from *Vicia faba* leaves, separation and estimation of 200
from tissues, identification by GLC–mass spectrometry–IR spectroscopy 122
DL-α-, tritium-labeled, preparation and stability of 416
Models for 351
Soya, by GLC 312
TLC of, quantitative; in milk and other foods 91
in oil seed 350
in vegetable oil 125

Tocotrienols: GLC of 129

Triglycerides

Brain, measurement of 341
Fecal, determination of 468
Lofland's method for determination, assessment of 275
Phytanic acid-containing, separation of, by TLC 136
Plasma, determination and stability of 183
Saturated, in fats, determination of 184
Semiautomated fluorometric assay of 336
Semimicro stereoscopic analysis of 463
Separation of, from free fatty acids on Sephadex LH-20 399
Serum, colorimetric determination of 273
Stereospecific analysis of 469
X-ray diffraction of 274
see also **Glycerides**

Ubiquinones: GLC of 233

Vitamin A

Alcohol, aldehyde, and palmitate, in rat plasma and liver 201
Components of, by silicic acid column chromatography 353
Fluorometric micromethod for 198, 495
5,6-Monoepoxy 3-dehydro-, preparation of 497

Vitamin D

D_2 and D_3, separation and determination of 10, 14, 349
Microquantitative detection of, by GLC 228
TLC assay of 228

Vitamin E: In multivitamin products, by TLC 197

Vitamin K

Fluorometric determination of, in pharmaceutical preparations 352
GLC of 233